


# ELECTRIC FENCING

INSULATORS FENCE TOOLS ACCESSORIES

FENCE TESTERS FENCE ENERGIZERS



As a leading Chinese manufacturer of electric fences, H.P.S. Exports its products around the world.  
Our goal is to achieve a “one-stop” service for farmers.



# COMPANY PROFILE

---

## WELCOME TO HANGZHOU OPUS FENCE SUPPLIES CO.,LTD

H.P.S. was created in 2013 with the aim of our main products being farm tools. Since then we have gradually moved into the plastics and electronics industries by constantly developing electric fencing products. As a leading Chinese manufacturer of electric fences,H.P.S. Exports its products around the world.


Through technological innovation and product optimization, we continue to improve our products. We offer a wide range which include insulators, fence tools, fence testers, fence energizers, and accessories.We export our technology worldwide.

We are not only sales exporters,but are the manufacturer of the majority products we sell. We have our own factory set up with the purpose manufacturer only for H.P.S.. We have worked in cooperation with our customers to meet their needs which have also witnessed our growth. We treat every customer' s enquiry with honesty and integrity to allow us to answer each customer' s question with the best solution at the most competitive and reliable price, and to the most attentive service to meet customers' requirements. Our goal is to achieve a "one-stop" service for farmers.

# TIGHTENER HANDLE


## WD-FT014

- ✓ Used with wire strainer
- ✓ Helps one person install strainer by himself
- ✓ Solid Steel Construction
- ✓ High speed installation for wire strainers



## Product Parameter



Item Name	Tightener handle
Item No.	WD-FT014
Material	Steel
Treatment	Rust resistance galvanized
Total length	13.5cm
Inner Dia	70mm



# CRANK HANDLE


## WD-FT010

- ☑ To use the crank handle when installing the wire strainers help your work easy.
- ☑ Rust resistance treatment
- ☑ High quality for long life use



### Product Parameter

Item Name	Crank handle
Item No	WD-FT010
Material	Steel
Treatment	Rust resistance galvanized
Total Length	290cm
Unit Weight	0.45kgs



# POST RAMMER


## WD-FT006

- ✓ Steel handle for long life
- ✓ Heavy cast iron head for better soil compaction
- ✓ Half round head for many applications including tighter fitting holes
- ✓ Easy to use



### Product Parameter


Item Name	Post rammer
Item No.	WD-FT006
Type	Post Rammer
Handle Material	Galvanised Steel
Handle Dia	26mm
Handle Length	1.67m
Head Size	110mmL x 100mmW x 40mmD



# WIRE STRETCHER SPLICER


## WD-FT016

- ✓ Controlled release holding ratchet to reduce line breakage.
- ✓ Holds wire ends in place so both hands are free.
- ✓ Red color easy to spot in many environments if set down and the color can be customized.
- ✓ One piece handle is stronger and more comfortable to use.
- ✓ Hardened guide and clamp grip wire firmly over a large area.



## Product Parameter

Item Name	Wire stretcher splicer
Item No.	WD-FT016
Material	Heavy duty steel
Treatment	Powder coating
Length	824mm
Thickness	10mm
Weight	3.35kgs



## Use Flow



# WIRE STRETCHER SPLICER

## Product Details

### STEP 1: Splicing wire



1 Traveling Hook

2 Stationary Hook

- Place wire in stationary hook
- Place other wire in traveling hook
- Ratchet handle until wire is taut then splice
- Remove stretcher by moving handle toward stationary hook(2) until stretcher releases(see d in photo)

### STEP 2: End post tie off



1 Traveling Hook

2 Stationary Hook

- Place wire in traveling hook of stretcher
- Secure stationary hook end of stretcher on post
- Ratchet handle until wire is taut
- Secure wire on the post using nails
- Remove stretcher by moving handle toward stationary hook(2) until stretcher releases (see e in photo)



**HANGZHOU OPUS FENCE SUPPLIES CO.,LTD**

Tel: 86-571-89774060

Fax: 86-571-89774057

Email: [hps01@hpsunionpower.com](mailto:hps01@hpsunionpower.com)

Add: D406, No.11, Xiyuan 8th Road, West Lake Science&  
Technology Park Hangzhou, China, 310030

[www.hpsfence.com](http://www.hpsfence.com)

<http://hpsfence.en.alibaba.com>